

BOSS HOT DOG CART

Features

Details

Specs

Schematics



FEATURES

- DOUBLE-RACK GRILL
- DOUBLE STEAM TABLE
- 6 STEAM PANS w/LIDS
- 2 ROLL TOP COVERS
- 4 SINKS
- HOT & COLD WATER
- 2 SWIVEL FAUCETS
- 12V WATER PUMP
- 5 GAL FRESH WATER TANK
- 7 GAL WASTE WATER TANK
- INSULATED BEVERAGE BIN (400 can capacity)
- INSULATED MEAT BIN
- BI-COLOR AWNING
- 1500 LBS. WHEEL LEVELING JACK
- REMOVABLE TOW BAR
- 1 7/8" BALL COUPLER
- OPERATOR MANUAL
- SCHEMATICS (for Health Dept. review)
- ONE YEAR WARRANTY

"Going places!"



**Hot Dog
Cart Company**

4497 Springbrook Rd.
Jackson, MI 49201



734-507-1212

DETAILS/DESCRIPTIONS

GRILL

The Boss hot dog cart is equipped with a double-rack, 55,000 BTU grill with four burners. The drip tray is located below and sufficient to hold grease for months, minimizing the need for frequent cleaning. Due to the popularity of grilling as opposed to steaming, this is an attractive feature.

STEAM TABLE

The steam table on the Boss hot dog cart consists of two large cast iron burners with individual shut off valves. The steam table holds six 1/3 size pans. The pans are 6" deep and come with solid lids. You can steam, boil or warm up food items of your choice (hot dogs, buns, chili, etc.). Alternative configurations are available. Pans are easily removable for cleaning and maintenance. All pans and lids are NSF approved and listed.

SINKS

The Boss hot dog cart has four sinks and two swivel faucets with hot and cold water for handwashing, rinsing, washing and sanitizing. Water pressure is provided by an electric water pump (12V).

WATER STORAGE

The Boss hot dog cart is equipped with a 5 gal. fresh water tanks and a 7 gal. waste water tank. The fresh water tank features an external intake valve. Water capacity can be upgraded.

BEVERAGE BIN

The Boss hot dog cart is equipped with an insulated stainless steel beverage bin with a hinged lid and an individual drain. It has a 400 can capacity and is easily accessible to both vendors and customers.

MEAT BIN

The Boss hot dog cart has an insulated meat compartment with an individual drain. It is accessible through a hinged lid.

HEATING SOURCE

The two burners on the steam table as well as the grill run on propane, which is stored neatly in a double cylinder hold-down rack located inside the cart. It holds two 20 lb. propane tanks (not incl.), reducing the need for replacement during high-volume events. The propane line has a dual-stage regulator.

CANOPY

The Boss features an attractive steel canopy painted in red and white. Additional colors are available. It is ideal for displaying menus, magnets and more.

TRAILER

The hot dog cart rests on a D.O.T.-approved heavy-duty trailer (title available) with baked enamel finished. The leaf spring suspension system allows you to tow it at freeway speeds with safety. The tire size is 4.8" x 8" standard.

TOWING BAR

The tow bar hitch on the hot dog cart is removable, increasing the approachability of your cart while minimizing safety issues. It is equipped with a 1 7/8" ball coupler with two safety chains. Optional 2" ball coupler available.

LIGHTS

The lights on the hot dog cart are tail, stop, signals and hazards. The wiring harness for the lights is male. The lights come with a license plate holder.


WHEEL LEVELING JACK

The hot dog cart comes with a 1500 lb. capacity swing-back trailer jack. Just fold it back and away when ready for transport. The trailer jack has a side crank handle to level it.

SPECIFICATIONS

CART BODY	L 99" x W 36" x H 76.5" 18-gauge stainless steel construction
TRAILER	L 139" x 48" x H 90" 1 7/8" ball coupler 2 safety chains
SUSPENSION	Highway rated 1/2 ton leaf suspension
TIRES	4.8" x 8" standard
ELECTRICAL	Tail, stop, signal, hazard lights Male wiring harness installed Water pump (12V)
LEVELING JACK	1500 LB wheel leveling jack
SINKS	4 sinks Wash, rinse, sanitize, handwashing
FRESH WATER TANK	5 GAL tank w/external intake
WASTE WATER TANK	7 GAL
COLD STORAGE	Insulated beverage bin w/drain (400 cans) Insulated meat bin w/drain


DRY STORAGE	Interior storage
STEAM PANS	6 - 1/3 size (7"x12"x6") 6 lids 2 spillage pans 2 roll top covers *Add'l config. avail.
BURNERS	2 19,000 BTU burners w/adjustable controls (steam table)
GRILL	55,000 BTU Gas Double-rack
PROPANE	2 20 LB propane tanks (not incl.)
PROPANE REGULATOR	Two-stage regulator
STANDARD FEATURES	Hot and cold running water 2 swivel faucets
ADD'L EQUIPMENT OPTIONS	Add'l canopy colors avail. 2" ball coupler



- A-TOW BAR w/BALL COUPLER
- B-GRILL
- C-CANOPY LINE
- D-5 GAL FRESH WATER TANK
- E-STEAM PAN
- F-BURNER CONTROL
- G-SIDE ACCESS DOOR
- H-BURNER
- I-WATER PUMP
- J-FRESH WATER INTAKE VALVE

- J-FRESH WATER INTAKE VALVE
- K-BATTERY
- L-20 LB PROPANE TANKS
- M-FENDER/TIRE
- N-MEAT BIN
- O-LID
- P-BEVERAGE BIN
- Q-7 GAL WASTE WATER TANK
- R-SINKS
- S-WATER PUMP SWITCH

- Cold water line
- Hot water line
- Gas line
- Wastewater line



- A-SINK
- B-TAIL LIGHT
- C-BEVERAGE BIN
- D-7 GAL WASTE WATER TANK
- E-TIRE 4.8X8 STANDARD
- F-MEAT BIN
- G-LID
- H-BATTERY
- I-20 LB PROPANE TANK
- J-FRESH WATER INTAKE VALVE
- K-TRAILER
- L-WATER PUMP
- M-ROLL TOPS
- N-5 GAL FRESH WATER TANK
- O-WHEEL LEVELING JACK
- P-GRILL
- Q-CANOPY
- R-TOW BAR w/BALL COUPLER

- Cold water line
- Hot water line
- Gas line
- Wastewater line

